Parts Manual for

# SNAPPER

MODELS LT125G38AKV, LT130G38AKV, LT140G38ABV, LT140G42ABV, LT140G42AKV, LT150G42AKV,

> & RLT125G38AKV SERIES "A"


> > LAWN

TRACTORS & MOWER ATTACHMENTS


IT IS THE POLICY OF SNAPPER TO IMPROVE ITS PRODUCTS WHENEVER IT IS POSSIBLE AND PRACTICAL TO DO SO. WE RESERVE THE RIGHT TO MAKE CHANGES OR ADD IMPROVEMENTS AT ANY TIME WITHOUT INCURRING ANY OBLIGATION TO MAKE SUCH CHANGES ON PRODUCTS MANUFACTURED PREVIOUSLY.

SNAPPER®McDonough, GA., 30253 U.S.A.


#### **FAMILIARIZATION**




#### **HOOD, GRILLE & COMPONENTS**




# **SEAT, SUPPORT COMPONENTS**



ITEM	PART NO.	DESCRIPTION
1	5-2606	ASSEMBLY, Seat Support (Includes
		items 2, 4, 5, & 2 item 3)
2	1-7852	SUPPORT, Seat
3	2-2759	SPRING (2)
4	2-3354	SWITCH, Seat (NC)
5	1-7851	HOLDER, Cushion
6	1-9109	CUSHION, Seat (2)
7	1-7875	KNOB, Seat Adjustment (2)
8	9-0721	BOLT, 5/16-18 x 1/2" Hex Flange Lock (3)
9	1-2431	PIN, Hair
10	3-3435	ROD, Seat Hinge
11	3-3318	BRACKET, Seat Support
12	2-4826	SEAT, Operator's



# FRONT AXLE PARTS




#### FRONT AXLE PARTS

#### ITEM PART NO. DESCRIPTION

- 1 3-3374 BRACKET, Axle (Rear)
- 2 1-2063 WASHER, Cone (4)
- 3 7-6979 NUT, 3/8-16 Nyloc (2)
- 4 1-9034 ARM, Steering
- 5 9-0842 ROLL-PIN, 1/4 x 1 1/4"
- 6 1-0935 WASHER, Shim (3)
- 7 9-0184 NUT, 5/16-18 Hex Center Lock
- 8 9-0477 NUT, 1/4-20 Hex Flange Top-Lock (2)
- 9 1-3864 FITTING, Lube (2)
- 10 1-9467 BEARING, Spindle (2)
- 11 2-2758 BOLT, 1/4-20 x 1 41/64" Shoulder (4)
- 12 3-3383 BRACKET, Deck Hanger (2)
- 13 9-1046 SCREW, 5/16-18 x 2 1/2" Hex Head Cap (2)
- 14 3-1036 WASHER, Thrust (2)
- 15 9-0130 NUT, 3/8-16 Hex (2)
- 16 9-0118 WASHER, 3/8 Split Lock (2)
- 17 2-4180 SPACER, Tie-Rod (2)
- 18 9-0655 SCREW, 3/8-16 x 1 1/2" Hex Head Cap, Grade 5 (2)
- 19 4-1351 SPINDLE ASSEMBLY, Left Hand
- 20 5-2490 BRACKET ASSEMBLY, Axle (Front) ('93 Model Year & Earlier)
- 5-2897 BRACKET ASSEMBLY, Axle (Front) ('94 Model Year)
- 21 2-2324 TIE-ROD (19.125")
- 22 9-0590 BOLT, 3/8-16 x 3" Hex Head (2)
- 23 4-1350 SPINDLE ASSEMBLY, Right Hand
- 24 4-0986 AXLE, Front
- 25 1-0746 RING, Retaining
- 26 2-6595 SPACER (2)


#### **CLUTCH, BRAKE & STEERING COMPONENTS**



# **CLUTCH, BRAKE & STEERING COMPONENTS**

ITEM	PART NO.	DESCRIPTION	ITEM	PART NO.	DESCRIPTION
1	3-3627	BRACE, Sector Gear	43	1-1791	RETAINER, 5/16 Bolt
2	3-3555	BELLCRANK, Shift Lever	44	9-0118	WASHER, 3/8 Split Lock (4)
3	2-4286	LINK, Shift Lever	45	1-5067	HAIRPIN, 3/32 x 1 1/2" (4)
4	2-5041	LINK, Shift Lever (Twisted)	46	1-2661	PAD, Pedal
5	2-2743	PEDAL, Park Brake	47	2-3649	WASHER, 5/16 Nylon (2)
6	3-3993	BRACKET, Brake Switch	48	2-3188	KNOB, Push/Pull
7	5-2431	ASSEMBLY, Foot Shaft Pivot	49	1-5992	WASHER, 5/8 Flat
-		(Includes item 8)	50	9-1000	SCREW, 5/16-18 x 7/8" Truss
8	1-4871	FITTING, Lube			Head (Torx) (2)
9	5-3240	ASSEMBLY, Clutch/Brake Arm	51	2-4159	COTTER-PIN, 3/64 x 1 7/32"
10	2-4057	LATCH, Park Brake			(Self-Locking)
11	2-2886	SWITCH	52	9-0361	SCREW, 5/16-18 x 5/8" Self-
12	2-2964	ROD, Lift Link (42" Model Only)			Tapping (3)
13	3-3556	GUIDE, Pulley	53	2-4874	COTTER-PIN, 1/16 x 1 27/64"
14	3-3557	ARM, Idler (Traction Drive)			(Self-Locking)
15	2-3954	PULLEY	54	9-0163	SCREW, 3/8-24 x 1 1/4" Hex
16	3-3595	EXTENSION, Idler Arm	-		Head Cap
17	3-3521	BRACKET, Rear Lift/PTO Lever	55	9-0913	SCREW, #10-24 x 1/2" Self-
18	4-1369	WELDMENT, Rear Lift (42" Model)			Tapping (Torx)
19	3-3520	BRACKET, Deck Hang Pivot	56	3-1036	WASHER, 3/4 Thrust
20	2-4115	ASSEMBLY, Clutch Brake Cable	57	9-0655	SCREW, 3/8-16 x 1 1/2" Hex
21	4-1347	WELDMENT, Brake Pivot			Head Cap
22	2-4586	SWIVEL, Brake Link	58	9-0613	NUT, 3/8-16 Hex Flange Lock
23	2-4832	ROD, Brake	59	9-0595	BOLT, 5/16-18 x 3/4" Hex
24	2-2381	BOLT, 1/2-13 x 2" Shoulder (2)			Flange Lock
25	2-4604	BOLT, 1/2-13 x 3 7/8" Shoulder	60	2-3189	RING, Tolerance
26	9-0509	WASHER, 1/2 Internal Tooth Lock	61	9-0629	SCREW, 3/8-16 x 2 1/4" Hex
27	9-0619	NUT, 1/2-13 Hex Flange Lock (2)			Head Cap
28	9-0803	BOLT, 1/4-20 x 5/8" Carriage (6)	62	2-3645	PIN, 3/16 x 1 1/2" Clevis
29	9-0583	NUT, 1/4-20 Hex Flange Lock (6)	63	2-2742	BEARING, Flange
30	9-0143	SCREW, 3/8-16 x 1 1/4" Hex	64	9-0130	NUT, 3/8-16 Hex
		Head Cap (2)	65	1-2080	TIE, Cable
31	2-4180	SPACER (3)	66	2-6459	GUIDE, Drive Belt
32	9-0546	NUT, 3/8-16 Hex Center Lock (2)	67	1-4451	TIE, Wire
33	1-4341	RING, 1/2" External Retaining (2)	68	5-2728	ASSEMBLY, Drag Link (Includes
34	9-0250	WASHER, 1/2 Flat			items 69, 70, & 71)
35	1-1016	BEARING, Nylon (2)	69	2-2846	LINK, Drag
36	2-4381	SPRING, Brake	70	2-3200	ROD-END (2)
37	9-0122	WASHER, 3/8 Flat	71	9-0482	NUT, 3/8-24 Hex Jam (2)
38	7-6979	NUT, 3/8-16 Hex Nyloc	72	9-0975	NUT, 1/2-13 Hex Center Lock
39	9-1001	SCREW, 5/16-18 x 5/8" Truss	73	3-3762	CLIP, Spring
00	0 1001	Head (Torx) (5)	74	5-3230	ASSEMBLY, Stabilizer Shaft
40	9-0585	NUT, 5/16-18 Hex Flange Lock (3)	, ,	• 0200	(38" Model Only)
41	5-2809	ASSEMBLY, Sector Gear	75	2-6764	BAR, Stabilizing (38" Model Only)
42	2-4871	SPRING, Idler	76	1-6231	HAIRPIN, 5/64 x 1 3/16"
	_ 40, 1		77	4-6778	WASHER, Pivot- Stiffener
			l ''		


# **BLADE ENGAGEMENT & TRANSMISSION CONTROLS**



#### **BLADE ENGAGEMENT & TRANSMISSION CONTROLS**

ITEM	PART NO.	DESCRIPTION		PART NO.	DESCRIPTION
1	3-3301	FRAME, Tractor	35	9-0122	WASHER, 3/8 Flat (3)
2	2-4456	FOOTPAD, Deluxe (2)	36	1-3321	BUSHING (2)
3	9-1001	SCREW, 5/16-18 x 5/8" Truss	37	3-3525	SUPPORT, PTO Lever
		Head (Torx) (9)	38	2-3355	SWITCH, Blade Engagement
4	9-0361	SCREW, 5/16-18 x 5/8" Hex	39	9-0913	SCREW, #10-24 x 1/2" Self-
		Washer Head (4)			Tapping
5	3-3819	GUIDE, Cable	40	3-3556	GUIDE, Belt
6	2-2437	SPRING, Brake Return	41	2-4344	PULLEY
7	3-3810	BRACKET, Axle/Spool	42	2-2368	GEAR, Steering Pinion
8	3-3951	BRACKET, Torque	43	5-25 <b>6</b> 2	ASSEMBLY, Steering Adjuster
9	9-0509	WASHER, 1/2 Internal Tooth Lock	44	9-0551	BOLT, 1/4-20 x 5/8" Short Neck
10	9-0619	NUT, 1/2-13 Hex Flange Lock			Carriage
11	2-6566	DECAL, Instruction/SAFETY	45	9-0583	NUT, 1/4-20 Hex Flange Lock
12	9-0546	NUT, 3/8-16 Hex Center Lock	46	1-4296	WASHER, 1/2 Shim
13	2-4180	SPACER	47	9-0365	COTTER-PIN, 1/8 x 3/4"
14	9-0655	SCREW, 3/8-16 x 1 1/2" Hex	48	2-4182	ROD, Spool Pivot
		Head Cap (2)	49	2-3182	SPOOL
15	2-4286	LINK, Shift Lever	50	3-3832	BRACE, Frame (2)
16	3-3554	CLIP, Shift Lever (2)	51	9-0585	NUT, 5/16-18 Hex Flange Lock (2)
17	9-1151	SCREW, 5/16-18 x 1 1/4" Self-	52	3-3488	BRACKET, Hood Pivot (2)
		Tapping (4)	53	2-4061	BOLT, 3/8-16 x 1 1/4" Shoulder (2)
18	5-2920	ASSEMBLY, Shift Lever (Lower)	54	9-0613	NUT, 3/8-16 Hex Flange Lock (2)
19	9-0189	WASHER, 5/16" Internal Tooth	55	4-1531	GUIDE, Belt (42" Model) ('93 Model
		Lock (2)			Year & Earlier)
20	3-3541	BRACKET, Shift Lever (Upper)	-	4-1545	GUIDE, Belt (38" Model) ('93 Model
21	9-0364	COTTER-PIN, 5/32 x 1"			Year & Earlier) (Some 42" models)
22	9-0055	WASHER, 1/4 Flat	_	2-7741	GUIDE, Belt (42" Model) ('94 Model Yr.)
23	7-6978	NUT, 14-20 Hex Nyloc	_	4-1556	GUIDE, Belt (38" Model) ('94 Model Yr.)
24	2-4069	SPRING, Shift Lever	56	9-1151	BOLT, 5/16-18 x 1 1/4" Hex Washer
25	2-3656	KNOB, Deck Lift Lever			Head (42" Model) (2)
26	2-6128	LEVER, Shift	57	2-4180	SPACER (42" Model) (2)
27	9-0037	COTTER-PIN, 3/32 x 3/4" (3)	58	3-2070	WASHER, 13/32 x 3/4" Flat
28	4-1310	WELDMENT, PTO Bellcrank			(42" Model) (2)
29	2-4518	BOLT, 1/2-13 x 2 11/32" Shoulder	59	4-1523	WELDMENT, Belt Guide (42" Model)
30	2-6777	CABLE, Blade (38" Model)	60	2-4101	GUIDE, Belt
_	2-4765	CABLE, Blade (42" Model)	"	2-4101	COIDE, Beit
31	4-1307	WELDMENT, PTO Lever			
32	2-3657	KNOB, PTO Lever			
33	1-5067	PIN, Hair, 3/32 x 1 1/2"			
34	2-3931	ROD, PTO Link			


#### **REAR FENDER & COMPONENTS**



ITEM	PART NO.	DESCRIPTION
1	2-4887	PAN, Seat (Fender)
2	9-1001	SCREW, 5/16-18 x 5/8" Truss
		Head (Torx) (4)
3	3-3958	BRACE, Fender (2)
4	2-4984	DECAL - SNAPPER, Molded
		Logo (Chrome)
5	2-6415	DECAL - CAUTION, Battery
		Installation
6	3-3312	SUPPORT, Fender
7	9-0361	SCREW, 5/16-18 x 5/8" Hex
		Washer Head, Self-Tapping (8)
8	3-3843	BRACKET, Fender Support (2)

ITEM	PART NO.	DESCRIPTION
9	2-6187	WASHER, Flat (2)
10	2-6183	RIV-NUT, 5/16-18 (2)
11	9-1195	SCREW, #10-16 x 3/4" Pan Head,
		Self-Tapping
12	4-1491	DETENT, Gear Shift
13	2-6125	COVER, Shift
14	2-6129	DECAL, Shift Cover, 6-Speed
15	9-1105	SCREW, #10-16 x 1/2" Hex
		Washer Head, Self-Tapping (3)
16	9-1223	SCREW, #10-16 x 5/8" Pan
		Head, Self-Tapping (5)


#### TRANSMISSION GROUP




ITEM	PART NO.	DESCRIPTION
1	2-4830	TRANSAXLE, Peerless Model 930,
		6-Speed
2	9-0702	BOLT, 5/16-18 x 2 1/4" Hex Flange
		Lock (4)
3	3-1036	WASHER, Flat (2)
4	2-4857	SPACER (2)
5	9-0585	NUT, 5/16-18 Hex Flange Lock (4)
6	9-0361	SCREW, 5/16-18 x 5/8" Hex Washer
		Head, Self-Tapping (2)
7	1-2763	RING, Retaining

ľ	TEM	PART NO.	DESCRIPTION
	8	1-0211	KEY, Woodruff, 3/16 x 3/4", No. 9
	9	3-3951	BRACKET, Torque
	10	2-5042	BELT, P930, Traction Drive (HA 97.75)
	11	2-4831	PULLEY, Drive
	12	3-3810	BRACKET, Axle/Spool
l	13	9-1165	BOLT, 1/4-28 x 5/8" Hex Head
	14	9-0746	WASHER, Bellville (2)
	15	3-3754	ARM, Shift Link Lever
	16	2-2437	SPRING, Brake Return


#### **ENGINE COMPONENTS (Kohler Engines)**



#### **ENGINE COMPONENTS (Brigg's & Stratton Engines)**




# 38" CUTTING DECK, BELTS, BRAKES



# 38" CUTTING DECK, BELTS, BRAKES

ITEM	PART NO	DESCRIPTION	LITEM	PART NO.	DESCRIPTION
1	2-6688	BELT, Drive, 38" Cutting Deck	55	5-3227	ASSEMBLY, Chute Deflector (Includes
2	9-1006	NUT, 5/8-18 Hex Nyloc (2)		O OLL,	1 ea. item 12 & 19, & items 18, 20, 21
3	2-4634	PULLEY, Spindle (2)			& 56)
4	9-0585	NUT, 5/16-18 Hex Flange Lock (28)	56	2-6831	DECAL DANGER
5	9-0063	NUT, 1/4-20 Hex	57	2-6538	STRIP, Outer
6	2-4908	NUT, 1/4-20 "T" Lock	58	2-6695	ROLLER (5)
7	3-3816	DRUM, Brake	59	2-6658	SPRING, Extension
8	1-4304	PIN, 1/4 x 1 5/8" Clevis	60	2-6497	STRIP, Center
9	1-4302	BOLT, 1/4-20 Eye	61	4-1511	ASSEMBLY, Torque Tube
10	1-3844	PIN, Hair (2)	62	2-6537	QUADRANT, Height Adjustment
11	5-2886	ASSEMBLY, Brake Band	63	2-6765	DECAL, Height Adjustment
12	9-0037	COTTER-PIN, 3/32 x 3/4" (4)	64	4-1519	ASSEMBLY, Latch Shaft
13	3-3825	ANCHOR, Blade Brake	65	2-6792	SPRING, Extension
14	2-4801	GUARD, Belt (2)	66	6-1392	CATCH, Up-Latch
15	3-3407	PIN, Deck Hanger	67	1-1201	NUT, 5/16-24 Hex
16	2-6826	SCREW, 1/2-13 x 3 1/4" H.H.C.	68	2-6514	LINK, Deck
17	4-1510	LIFT, Front Arm	69	9-0310	COTTER-PIN, 3/16 x 1 3/4"
18	2-6158	SPRING, Chute Deflector Hinge	70	1-6231	PIN, Hair, .08 x 1 3/16"
19	9-0188	WASHER, Flat (2)	71	2-6764	BAR, Stabilizing (*See page 8)
20	2-6750	HINGE, Deck	72	2-6536	ANGLE, Adjustment
21	2-6161	PIN, 5/16 x 3 3/16" Clevis	73	9-0645	BOLT, 3/8-16 x 1" Short Neck Carr.
22	1-5067	PIN, Hair, 3/32 x 1 19/32" (2)	74	9-0613	NUT, 3/8-16 Hex Lock
23	2-5074	WASHER, Flat	75	3-3972	TUBE, Structural (Left Hand)
24	2-6 <b>6</b> 48	SWIVEL, Lift	76	9-0665	NUT, 3/8-16 Hex Jam
25	9-0625	NUT, 1/2-13 Hex Jam	77	9-1239	SCREW, 3/8-16 x 1 1/2" Hex Head
26	2-6173	SPRING, Blade Brake			Cap, Grade 5
27	2-6757	HITCH (Left Hand)	78	9-0748	SCREW, 1/2-13 x 3 1/2" Hex Head
28	2-6827	SWIVEL, Lift			Cap, Grade 5
29	2-4267	BOLT, 3/8-24 x 1.33" Shoulder,	79	9-0636	BOLT, 5/16-18 x 1" Hex Head Cap
		Hex Washer Head	80	9-1152	WASHER, Flat, .406 I.D. x 1.50 O.D.(2)
30	9-0041	COTTER-PIN, 1/8 x 1" (2)	81	3-3728	BRACKET, Idler
31	4-1509	BELLCRANK	82	3-4022	GUIDE, Belt
32	9-0001	BOLT, 5/16-18 x 3/4" Short Neck	83	2-6310	PULLEY, Idler
	0.0505	Carriage (28)	84	9-1121	NUT, 1/2-13 Hex Nyloc
33	2-6525	BRACKET, Front Linkage	85 00	2-5061	DECAL, 38" Deck DECAL - CAUTION (Rotating Blades)
34	9-0289	NUT, 3/8-24 Hex Center Lock (3)	86	1-6973	SCREW, 3/8-16 x 3/4" Self-Tapping (6)
35	3-3756	BRACKET, Gage Wheel, Front (2)	87	9-0815	STUD, Idler
36	9-0122	WASHER, 3/8 Flat (5)	88	2-6618	BUSHING, Flange (2)
37	9-0250	WASHER, 1/2 Flat (3)	89	1-2306 3-3929	GUIDE, Belt
38	2-6122	WHEEL, Gage (2)	90 91	3-3929 4-1392	ARM, Idler Pulley
39	1-1720	BOLT, 3/8-24 Shoulder (2) DECK, 38" Cutting	92	1-3847	RETAINER, 3/8 Bolt
40 41	3-3639 9-0844	ROLL-PIN, 3/16 x 3/4"	93	2-4725	PULLEY, Idler
42	1-2776	PIN, 1/4 x 1 1/16" Round Head	94	7-6979	NUT, 3/8-16 Hex Nyloc
43	9-0548	SCREW, 1/4-20 x 1" Hex Head	95	1-4852	DECAL - CAUTION
40	9-05-0	Cap, Grade 5 (2)	96	4-1512	ASSEMBLY, Roller Shaft
44	3-3971	TUBE, Structural (Right Hand)	97	9-0738	BOLT, 3/8-16 x 2 3/4" Short Neck
45	2-6504	HANDLE, Lift	l	0 0/00	Carriage, Grade 5
46	2-6525	CATCH, Lift Handle	98	1-1791	RETAINER, 5/16 Bolt
40 47	2-3658	KNOB, Lift Handle	99	2-6759	ANCHOR, Cable (welded)
48	2-6790	GRIP, Lever	ľ	_ 0/00	(Woldod)
49	2-6761	LEVER, Latch			
50	9-1020	PUSH-NUT, 1/4" I.D.			
51	2-6762	ANCHOR, Cable		FOR	COMPLETE 38" DECK
52	9-0761	NUT, 1/4-20 Hex Top Lock (3)		ASS	EMBLY- ORDER 6-1299
53	2-6774	CABLE, Transport Latch		L	
54	9-0492	WING-NUT, 5/16-18	l		
<b>J</b> 1	J J .UE		l		

42" CUTTING DECK (Belt, Blade Brake Shown On Page 22)




# 42" CUTTING DECK (Belt, Blade Brake Shown On Page 22)

17777	DARTHE	DECODIDETION I
ITEM		DESCRIPTION
1	5-1916	DECK, 42" Cutting (Includes items
		44 & 56)
2	5-1401	DEFLECTOR, Side Discharge
		(Includes item 3)
3	1-3010	DECAL - DANGER
4	9-0859	SCREW, 3/8-24 x 3 3/4" Hex Head
_		Cap (4)
5	1-5272	SPACER (4)
6	1-9190	WHEEL, Gage (4)
7	9-0289	NUT, 3/8-24 Hex Lock (4)
8	9-0585	NUT, 5/16-18 Hex Flange Lock (12)
9	2-3606	CAP, Vinyl (2)
10	5-1747	ASSEMBLY, Spindle Lock (2)
11	9-0850	BOLT, 3/8-16 x 3/4" Carriage (10)
12	3-3083	SUPPORT, Deck, Front (Left Side)
13	9-0600	WASHER, Flat (4)
14	2-7430	CABLE, Deck Support (2) (3.88")
15	3-2297	BRACKET, Front Hanger (Left Side)
16 17	9-0613 3-8043	NUT, 3/8-16 Hex Flange Lock (22) BRACKET, Front Lift Arm Hanger
17		T-NUT, 5/16-18
19	9-0388 9-0582	BOLT, 3/8-16 x 1" Hex Fl. Lock (2)
20	5-2487	ASSEMBLY, Spindle Brace (2)
20 21	3-2467 3-3367	GUARD, Pulley (Right Hand)
22	9-0563	SCREW, 3/8-16 x 1" Hex Head Cap
23	1-5012	ECCENTRIC, Leveling
24	9-0130	NUT, 3/8-16 Hex (2)
25	9-0130	WASHER, 3/8 Split Lock (3)
26	3-8382	BRACKET, Front (Right Side)
27	3-2432	LINK, Adjustment
28	9-0122	WASHER, 3/8 Flat (2)
29	3-3407	PIN, Deck Hanger
30	2-2893	CABLE, Deck Lift (4.75")
31	3-2276	CLEVIS, Lift Cable
32	1-5067	PIN, Hair, 3/32 x 1 1/2"
33	1-0736	PIN, Clevis, 3/8 x 1 1/16"
34	1-3844	PIN, Hair, .148 x 2.62"
35	4-1480	ASSEMBLY, Front Hanger
36	9-0155	NUT, 3/8-24 Hex
		,


ITEM	PART NO.	DESCRIPTION
37	4-1559	BRACKET, Idler
38	3-4041	GUIDE, Belt
39	1-8574	PULLEY, Idler
40	1-4583	STUD, Idler
41	1-0027	NUT, 3/4-16 Hex Jam (2)
42	1-5724	PULLEY, Spindle (2)
43	2-4910	DECAL, 42" Deck
44	1-6973	<b>DECAL - CAUTION (Rotating Blades)</b>
45	3-3086	ASSEMBLY, Rear Support
46	1-4407	WASHER, Spindle (2)
47	9-0167	BOLT, 3/8-24 x 2" Hex Hd. Cap, Gr. 5
48	9-0788	BOLT, 5/16-18 x 3/4" Carriage (2)
49	5-9723	ASSEMBLY, Spindle (Right Hand)
50	9-0612	BOLT, 3/8-16 x 3/4" Hex Flg. Lk. (12)
51	1-9795	BLADE, 21" Cutter (2)
52	1-2063	WASHER, Cone, 13/32 x 1 13/32"
		Dia. (4)
53	9-0824	SCREW, 3/8-24 x 1 1/4" Hex Head
		Cap, Grade 5 (2)
54	9-0383	BOLT, 5/16-18 x 1" Short Neck
		Carriage (2)
55	9-0799	BOLT, 5/16-18 x 5/8" Carriage (2)
56	1-4852	DECAL - CAUTION (Deflector in
	4 4704	Place)
57	1-1791	RETAINER, 5/16 Bolt (2)
58	9-0187	WASHER, 5/16 Split Lock (2)
59	9-0375	WING-NUT, 5/16-18 (2)
60	5-2959	ASSEMBLY, Spindle (Left Hand)
61	3-3739	GUARD, Pulley (Left Hand)
62	9-0390	WASHER, 3/8 Internal Tooth Lock
63	3-4202	PLATE, Support
64	9-0636	SCREW, 5/16-18 x 1" Hex Head
		Cap (2)

# **SPINDLE ASSEMBLY - 38" Cutting Deck**




HEN	PARI	NO.	DEO	CHIP	LIOIA

1	5-2847	ASSEMBLY, Spindle Housing, 38" Cutting Deck (Includes
		items 2, 3, 4, 5, 6, 7, & 9) (2)
_	5-3063	ASSEMBLY, Spindle Housing, 38" Cutting Deck (Includes
		items 2 thru 9) (Model RLT125G38AKV Only - Ninja Blade) (2)
2	2-6754	SPINDLE (7.019")
3	2-6808	BEARING, Spindle (2)
4	2-4465	SPACER, Spindle Housing
5	2-4461	HOUSING, Spindle
6	2-4468	NUT, 9/16-18 Hex Jam
7	2-4467	WASHER, Bellville, 19/32" I.D. x 1 3/4" O.D. (2)
8	2-6749	WASHER, Ninja Blade (Model RLT125G38AKV Only) (2)
9	2-4463	SPACER, Blade



ITEM	PART NO.	DESCRIPTION
1	5-2959	ASSEMBLY, Spindle Housing, 42" Cutting Deck (Left Hand)
		(Includes items 2 thru 7)
	5-9723	ASSEMBLY, Spindle Housing, 42" Cutting Deck (Right Hand)
		Includes items 2 thru 7)
2	1-2491	RING, Retaining (2)
3	1-3313	BEARING, Spindle (2)
4	4-1370	HOUSING, Spindle (Left Hand) (4.35")
	4-7917	HOUSING, Spindle (Right Hand) (5.1")
5	3-2294	HOLDER, Blade
6	1-4407	WASHER, Spindle
7	2-4817	SPINDLE (Left Hand) (5.75")
	2-7668	SPINDLE (Right Hand) (6.5")

#### **BELT, BLADE BRAKE - 42" CUTTING DECK**



NUT, 3/8-24 Hex Lock (2)

SCREW, 3/8-24 x 2" Hex Head Cap

CABLE, Blade

DRUM, Brake PULLEY, Idler

GUIDE, Belt

9-0289

2-4765

3-2169

1-8574

9-0167


3-4043

14 15


16

17 18


19




ITEM	PART NO.	DESCRIPTION
1	4-1015	STRUCTURE, Lift Lever
2	2-2565	ROD, Lift Lever
3	1-9363	KNOB, Lift Lever
4	1-4361	CAP, Lever Rod
5	9-1000	SCREW, 5/16-18 x 7/8" Truss Head (Torx) (2)
6	3-3449	QUADRANT, Lift Lever
7	9-1001	SCREW, 5/16-18 x 5/8" Truss Head (Torx)
8	9-0585	NUT, 5/16-18 Hex Flange Lock (3)
9	2-2567	PIVOT, Lift Lever
10	2-2964	ROD, Lift Link
11	4-1301	BELLCRANK, Lift Structure
12	2-2566	SPRING, Lift Lever Rod
13	2-2895	PIN, 1/4 x 1 1/8" Dowel
14	1-3844	PIN, 5/32 x 2 5/8" Hair (2)
15	2-2568	DETENT, Latch
16	9-0999	SCREW, 1/4-20 x 5/8" Truss Head (Torx)
17	2-4742	LATCH, Pivot




SCHEMATIC - WIRING HARNESS P.N. 24815




#### **ELECTRICAL - B&S Engines**




SCHEMATIC - WIRING HARNESS P.N. 2-6616




#### **WHEELS - FRONT**





# **ELECTRICAL COMPONENTS**



ITEM	PART NO.	DESCRIPTION
1	6-0618	KIT, Battery (Includes Decal P.N. 1-6134
		& Battery Without Acid)
2	1-2444	COVER, Positive Terminal
3	9-0311	WING-NUT, 1/4-20 (2)
4	1-7853	TRAY, Battery
5	9-0074	BOLT, 1/4-20 x 3/4" Carriage (2)
6	1-4476	CABLE, Positive (Red)
7	9-0977	NUT, 1/4-20 Hex Jam (2)
8	9-0539	SCREW, 1/4-20 x 1/2" Self-Tapping (2)
9	2-6414	CABLE, Ground (Black)
10	1-2485	RETAINER, 1/4 Bolt
11	7-5622	SOLENOID (Was 1-8604)
12	2-6678	TIE, Strap

Parts Manual for

# SNAPPER®

MODELS: LT125G38AKV
LT130G38AKV
LT140G38ABV
LT140G42ABV
LT140G42AKV
LT150G42AKV
& RLT125G38AKV
SERIES "A"
LAWN TRACTORS
& MOWER
ATTACHMENTS

SNAPPER McDonough, GA., 30253 U.S.A.